Linde

Lindos user manual

INDEX

1.	Introduction	2
2.	Selection of requested Spare Parts Catalogue	2
2.1	Selection of the spare part catalogue through product family	2
2.2	Spare part catalogue selection via "Search by series and type"	3
3.	Navigation in the spare part catalogue	4
3.1	Changing the screen display	5
3.2	Pop up Menu (right mouse button)	6
3.3	Explanation of the Toolbar	7
4.	Search functions for spare parts	8
4.1	Search for part numbers	9
5.	Printing of spare part catalogues	9
6.	Note function	10
6.1	Notes on spare part catalogue pages	10
6.2	Notes on part numbers	10
7.	Order function for spare parts	11
7.1	Ordering program	11
7.1.1	Menu items and toolbar	11
7.1.2	Ordering form – header data of order form	13 - 14
7.2	Export of order forms "Parts-Link"	15
8.	Updates	16
8.1	Updates-Konfiguration	16
8.1.1	Update via LAN	17
8.1.2	Update via Internet	17
8.2	Carry out update	18 – 19
9.	Installation options	20
9.1	Server installation	20 - 21
9.2	Terminal server installation	22

Some of the software pictures in this manual are not shown in the installation language as the programm language of some messages depends on the operating system.



1. Introduction

Please start the program with the button "Lindos". It is available in all Windows versions in the program group "Lindos".



When using the entry by model-no. the

same view is displayed in full screen.

This is the main menu for industrial truck applications. Here you can select the requested application.

The spare part catalogues are subdivided into different product groups. Through "entry by model-no." you will find all spare part catalogues.

2. Selection of requested Spare Parts Catalogue

2.1 Selection of the spare part catalogue through product family



diesel-LPG-forklift trucks up to 8 t

Here you are able to select the requested truck model.

After having selected a model you will generally receive a sub menu, in which additional information for the selected catalogue will be shown:

Example:

1odel 353,	, truck type H 50-80,	catalogue Issue		etween and 07/
5 353				/ (
Family	Model	Edition	from	to
353-01	H50/60/70/80	02/2006	09/93	07/00
353-02	H50/60/70/80 - 02	12/2003	06/99	12/03
353-03	H50/60/70/80 - 03	03/2006	01/04	

2.2 Spare part catalogue selection via "Search by series and type"



You can select the spare part catalogue which you require using this search screen if you do not know which product family the device belongs to

All truck types from a specific series are displayed here:

353 H50D 09/93 07/00 02/2006 353 H50D-02 06/99 12/03 12/2003 353 H50D-03 01/04 - 03/2006 353 H50T 09/93 07/00 02/2006 353 H50T 09/93 07/00 02/2006 353 H50T-02 06/99 12/03 12/2003 353 H50T-03 01/04 - 03/2006	353-01 H50/60/7 353-02 H50/60/7 353-03 H50/60/7	
353 H60D 09/93 07/00 02/2006 353 H60D-02 06/99 12/03 12/2003 353 H60D-03 01/04 - 03/2006 353 H60T 09/93 07/00 02/2006 353 H60T 09/93 07/00 02/2006 353 H60T-02 06/99 12/03 12/2003	353-03 H50/60/7 353-01 H50/60/7 353-02 H50/60/7 353-03 H50/60/7 353-01 H50/60/7 353-02 H50/60/7 353-03 H50/60/7 353-04 H50/60/7 353-05 H50/60/7 353-03 H50/60/7 353-04 H50/60/7 353-05 H50/60/7 353-02 H50/60/7 353-02 H50/60/7	70/80 - 03 70/80 - 02 70/80 - 02 70/80 - 03 70/80 - 02 70/80 - 02 70/80 - 03 70/80 - 03
1		

It is possible to continue narrowing down the number of possible types using the various fields. Information about the parts can be entered in these fields, e.g. "H50" in the "Type" field (there is no need to include * in the entry):

Parts li	st					
Model	Туре			Edition		
353		× 🗸	×	×		
353	H50D	09/93	07/00	02/2006	353-01	H50/60/70/80
353	H50D-02	06/99	12/03	12/2003	353-02	H50/60/70/80 - 02
353	H50D-03	01/04		03/2006	353-03	H50/60/70/80 - 03
353	H50T	09/93	07/00	02/2006	353-01	H50/60/70/80
353	H50T-02	06/99	12/03	12/2003	353-02	H50/60/70/80 - 02
353	H50T-03	01/04		03/2006	353-03	H50/60/70/80 - 03

3. Navigation in the spare part catalogue



3.1 Changing the screen display

The view on a spare parts list can be changed easily.





3.2 Pop up Menu (right mouse button)

On the right mouse button there is a popup menu which lists further commands depending on the cursor position



Part information	Single view of part information with links to	
	notes (chapter 6.2) and ordering this part	
Ordering Link	Order directly	
	If additional information available	
	(example: Packaged quantities)	
Start zoom Total view	Free zooming with placing a fence	
Pagewidth	(section of view) Graphic in full screen	
Maximize	Graphic fitting into page width	
	Switch the graphic or spare part list to full	
	window size (back with "Minimize")	
Copy into the clipboard	Depending on the cursor position copying	
	graphic, field or line of table or complete parts	
	list into the clipboard for using in another	
	application (e.g. MS-Excel).	
Switch to order	Direct link to ordering menu	

3.3 Explanation of the Toolbar



- Back to main menu
- H Back to start page of the catalogue
- One level back
- Backwards
- Forwards
- Switching on/off the ordering menu (chapter 7)
- Switching on/off the order function (~ ordering possible)
- 🗞 Switching on/off the hyperlink between graphic and text (switched off: 🗞)
- Delay for the hyperlink between graphic and text
- Free zooming, dragging a fence (selection of view) with left mouse button
- Display complete graphic (fit all)
- Fit graphic to full page width
- (A) Search for part descriptions (chapter 4.1)
- Search for part number (chapter 4.2)
- Printing (chapter 5)
- Note function for spare part catalogue pages (if note existing:, chapter 6.1)
- Switch over the data and program language *
- Carry out Update

* If the document is not available in the selected language, the program switches the language automatically!

This information is available in the Lindos 1 system as file "help_GB.pdf["]; menu "? ~ *Help*"

Linde

4. Search functions for spare parts

The search is generally effected over all catalogues.

4.1 Search for part descriptions

A search by part name can be case-sensivite or not, as the user chooses.

5 Search for name					×
Description	6	cover		ż	-
	<u>0</u> K		<u>C</u> ancel		

To insert a part designation as a search criterion you can insert the complete word or a part of it with asterisk ***xyz*.**

Search for name		×
Name	*cover	-
Use capitalization		
	<u>O</u> K ESC	



If using the wildcard function (*) you receive a list of hits before you get your final result. Here please select the exact designation.



Then you receive the list of results, it contains:

5 vnw						
File Settings Vi	ew ?					
IA 44 4 E	N 100	y 🛛	🐚 🕒 🔍 🗅 🖻 🗛 🗶 🎒	🖉 🕻	l u	
Cover						
part number	Pos.	Page	Headline	Family	Model	
√W021115185 B	8		Oil Pump Tube For Oil Dipstick Oil Dipstick	394-01	H40/45/50 - 500	^
VW021117061 B	15	00/115- 10	Oil Filter Oil Filter Bracket	392-01	H20/25	
VW021117061 B	15	00/115- 10	Oil Filter Oil Filter Bracket	393-01	H25/30/35	
∨W021117061 B	11	00/115- 40	Oil Filter Oil Cooler	394-01	H40/45/50 - 500	

- Found parts numbers (= ascending sequence)
- Item numbers of spare parts lists
- Numbers of Registers and Spare Parts Lists of Catalogues (e.g. 03/01)
- Headlines of the Pages of the Spare Part Catalogue
- Model, Type

From the list of results you can get directly into the place of use. With the function "one level back" () you get back to the list of results and get into another place of use.

4.2 Search for part numbers (2)

Search for part numb	er				×
Part Number		9008311125			•
Use capitalization					
	<u>0</u> K		ESC		

If a part number is the search criterion you can insert it complete or parts of it, e.g. ***1234*.**

If several part numbers match with the inserted criterions the system first shows an overview of this part numbers. From this list you have to select a part number to get the final result.

The list of results is corresponding to the result list of searching for part numbers but there is only one part number displayed with its place of use.

5. Printing of spare part catalogues 🖨



Spare Parts List in landscape format

Linde

6. Note function

Lindos offers two possibilities to make notes. You are able to make notes on spare part catalogue pages or on part numbers. During setup you have to decide if the notes will be saved on your local PC (stand alone use) or if they shall be saved in the network. Then all net users are able to access the same notes. Mixed procedure is not possible.

Even after an update all notes will still be available. If you wish to delete this notes before an update the corresponding files have to be removed from the installation directory ("...\notes\...").

6.1 Notes on spare part catalogue pages 👩 💞

When choosing the note function you first get a notice that no files exist. If you decide for making a note (by answering "Yes") a data file will be created with the ending "notiz". Therefore the software "Editor" is used. Notes can be modified and deleted.

Beispiel:

3538049400_3530301 03.notiz - Editor	
Datei Bearbeiten Format Ansicht ?	
This graphic has been improved	~
	~
	≥:

6.2 Notes on part numbers

To create a note on a part number please move to part information through the popup menu.

There exists this symbol

After pressing this button a note data will be created, file name is "part number", ending is "notiz".

Part number 3210341320	Qty Description 6 nut M36-934-10A2C	Info Price (EUR)	
	9210341320.not	iz - Editor	
	Datei Bearbeiten Forr	mat Ansicht ?	
		tightness of the screw n of the assembly	~
			~
	<u> </u>	101	2

When you again open the part information the symbol has changed into:



Please regard:

This notes are saved independently from their place of use and therefore they are valid for this part over all catalogues.

T



Order function for spare parts 7.

5 Order Fo	rm - Standard 📃 🗖 🗙	-
File Editing V	/iew ?	(
🗅 🖻 🖬 🛛	39 🗸 12 🗶 🖼 🗮 🕒 🏈 🖨 🧭 🛈	I
	Qty Description Info Price	1
9007311418	2 hexagon bolt 931-M16x80-8.8A2C ISO 4014	
0009654056 0009654009	2 mounting 4 rubber bumper G13x58-50	
9007341314	2 hexagon screw DIN 931-M12X90-10.9 ISO 4014	
9309412028	4 washer 17X40X6-7349-A2C DIN 7349	
7914950967	5 cable binder. 9x300 9x300	
9210281130	7 nut hexagon DIN 934-M10-8A2C ISO 4032	
3534462401	1 angle.	
9210281090	1 hexagon nut DIN 934-M6-8A2C ISO 4032	
	I I I I I I I I I I I I I I I I I I I	
1		
Nun	mber of items 9	(
	View	1
		I

here are different ways to rder parts:

- To switch on the order function in the toolbar
- Popup-menu ~ Ordering (out graphic or spare part list)
- Popup-menu ~ Part Information ~ **Ordering** with immediate enter of quantity

n any case the parts are baded into a new or already pened order form. It is not ecessary that the ordering nenu is open.

7.1 Ordering program

If you have ordered the parts as described and have switched into the ordering menu through the toolbar () you will see the following window:

Edit position			x	In this window
Part	number Qty	7914950967	ОК	you again have the possibility to modify or delete items.
Des	cription	cable binder. 9x300 9x300	Cancel	
	Info Price	 		The sequence can be altered
				by a click with the mouse on the respective

column.

With a double click on a line of the order you will get this screen and will be able to modify the single positions (e.g. increasing amounts):

Linde

7.1.1 Menu items and toolbar

For further research in the spare part catalogues it is not necessary to close the ordering program. With the common known Windows functions it can be activated or deactivated on demand (minimize the screen ~ task bar ~ restore).





Toolbar:



D	Create a new order form
2	Open the existing order form
	Save the order form
2	Export the order form ("Parts-Link", Ch. 7.2)
V	Add an order item
22	Edit an item
×	Delete an item
	Address data (form header and address management, Ch. 7.1.2)
	Order data (form header, Ch. 7.1.2)
•	Type of order (Ch. 7.1.2)
9	Type of dispatch (Ch. 7.1.2)
6	Print
S	Fax (only possible if a fax program has been installed, has to be set up on a one-off basis)
I	Call up information about parts

=_



7.1.2 Ordering form – header data of order form

This is the menu for selecting the addresses of an order in use

Addresses	Supplier address	Addresses
\sim	Liefemame 1	
	LFirma	ř.
Addresses	Dealer address	Addresses
~	P	1
	Handler	/
	Fundationalian	
		Addresses



Creating and modifying of addresses through this menu.

The addresses will be preserved after an update.

It is possible to create and administrate addresses centrally per dealer or subsidiary. When this data are distributed to staff and fitters a multiple administration is not necessary.

Please contact your IT manager

Function last and next

Herewith you can accept the displayed address into the active order form.

Lindos User Manual		issue 03/2	2006		Linde
With this menu you	can insert further h			order in use:	
	. also transferred to				r 7.2).
Order data				(0).
Order number Remarks Contact name Order typ to be delivered by Delivery date	leeded for 2.000h-Service Martin nmediately PS	Address		lere you can s	ave several addresse
Order typ			(D	
<mark>immediately</mark> soon very soon whenever you like		<u>O</u> K Cancel		this menu yo dering.	u administrate the kin
		Editing		lown menu in	n select those out of a the ordering data
		<u>D</u> elete	admi	different kinds nistrated equa ymbol:	of dispatch are Illy through
	_			esses can be pre-defined XN	exported and imported /L format:
Editing View ? Add position Edit position Delete position	🗶 🔚 🔜 🚱 🊱	Editing View Add position Edit position Delete positio		【 🔚 🔜 🕼 t Info Price (EUR)	
Address Order data		Address Order data			
Order typ to be delivered by		Order typ to be delivere	d by		
Value added tax		Value added t			
Export	Customer address Supplier address Delivery address Dealer address Contact name	Export Import	•	Customer address Supplier address Delivery address Dealer address	
		.	().	Contact name	

٩



7.2 Export of order forms "Parts-Link"

This function can be used for the electronic processing of order forms. It can be started in the toolbaror through "File ~ Export ~ Export order".

Here you define the directory where your data shall be exported to – only once.

LX4_EXPO.EXE	×			
Einstellungen Datenexport / settings data export / Paramétrage de l'exportation de données				
Exportverzeichnis / export directory / Répertoire d'exportation:				
C.\LINDOS_EXPORT\	modify			
Exportinterface / export interface / l'interface d'exportation	Datenformat / data format / Format des données			
© Parts-Link	€ DOS			
O Interfac <mark>e</mark> 3				
O Interface 4	export cancel			

This are different formats of interfaces. Linde MH will support the format "Parts-Link" only.

LX4_EXP0	
Daten wurden exportiert nach: Data were exported to: Les données ont été exportées vers: <c:\lindos_export.00072401.txt< td=""><td>T Se A T CI</td></c:\lindos_export.00072401.txt<>	T Se A T CI
OK	tc in se ea

Here you start the export.

You will receive a note about the export of the data and the file name.

The file name has got the format: "YYMMDDxx.TXT", "xx" is a sequence number. ATTENTION:

The sequence number is always created by the client PC. If you want to save the data from different users n network, there have to be a separate subdirectory (folder) for each user (client).

Now this file can be transferred into your Enterprise Resource Planning system.

Therefore an adjustment of your Enterprise Resource Planning system is necessary! For

further information (e.g. the format of the interface) please contact your IT manager.

Linde

8. Updates u

In Lindos version F-03/2006 or higher, it is possible to update an existing Lindos installation. In an admin or full installation (see Chapter 10: "Installation variants"), this button is located in the navigation bar. You must perform the search for the an update on your own. Before doing this however, you must choose and configure one of the two update search variants.

The updates must be performed one after the other in the correct sequence. None of them must be omitted. This is the only way to ensure that the material is up to date and further updates can be imported.

8.1 Update configuration



5 LINDOS - Linde Documentation System ? File Settings View Order Form y 🕅 🕑 🖉 K Ordering Update Þ Carry out update update config. Linkings Language

This window appears if no update

Enter the configuration menu from the homepage via "Settings – Update – update config.".

There are three tabs here "General", "Internet" and "LAN".



In the "General" tab, select the type of update search, i.e. choose the perform the search in the "Internet" or in the "LAN".

Linde

Lindos User Manual 8.1.1 Update via LAN

In this variant, the updates must be downloaded manually from the LMH extranet and placed in a directory which the Lindos users can access (read rights). Enter the path and directory in the screen in the "LAN" tab. You can navigate to the drive you require using the arrow beside the field:

Settings Pf: General Internet LAN	ad
Country LAN	
Path F:\Admin und Lindos\Update Files OK	Arbeitsplatz (C;) Lokaler Datenträger (C;) Lokaler Datenträger (C;) Lokaler Datenträger (C;) DS Volume (C;) DS Volume (C;) DS Volume (C;) DS Volume (C;) DS Volume (C;) De Jaufwerk (C;) De Jaufwerk (C;) De Jaufwerk (C;) De Jaufwerk (C;) De Jaufwerk (C;) De Jaufwerk (C;) De Jaufwerk (C) De Jaufwer

The address of the LMH extranet is <u>http://extranet.linde-mh.com</u>. This Internet site can only be accessed by approved users with a user name and password. If you want to find out how to be granted access, contact

extranet.team@linde-mh.de.

The update files are executable files and appear at least once a month (at the start of the month) on the above-mentioned page in the "After Sales – Service handling equipment – Lindos".

8.1.2 Update via Internet

During installation, the target Internet address where the updates are stored is given in encoded form. It therefore does not have to be entered again here.

Settings	
General Internet LAN	
🔲 Display messages when acc	essing Internet
Proxy Login	
Username	Password
test	
	OK Abbrechen

If your company uses a proxy server, you may have to enter the user name and password in the appropriate fields in the above-mentioned configuration window. Contact your local IT administrator for more information.

If a proxy server is being used, it may not be possible to connect to the Update Internet site. If this is the case, contact your local IT administrator.

If your IT administrator wants to enable the Internet site on the proxy and requires the URL for this purpose, he should contact this address: service.software@linde-mh.de.

This configuration abolishes the need for manual downloading from the Extranet. Instead, an update provided in the Internet is automatically downloaded and copied to the system directory when the "Update searcher" is started ("Settings – Update – Carry out update" or the "Carry out update" button, see Chapter 8.2).

8.2 Carry out update **u**

The user initiates the process of carrying out the file and Lindos starts this process. You can start the search for an update by pressing the "Carry out update" button or by using the "Settings – Update – Carry out update" menu bar. Every search variant places the update file in the system directory provided for this purpose.

Update-Check Protocol		This wurden
Start: 08.03.2006 : 16:42 Checks for a local update Get an update from the LAN No updates !	Size	starte
	ESC	
Update-Check		
Update-Check Protokoll		T 1 1
Protokoll Prüft, ob Update lokal vorhanden ist Update vom LAN holen Update d5upd_03fa_002.exe vorhanden Update d5upd_03fa_003.exe vorhanden	Update Größe d5upd_03fa_00 543359 d5upd_03fa_00 541738 d5upd_03fa_00 541738	This v proce:
Protokoll Protokoll Protekol Update vom LAN holen Update d5upd_03fa_002.exe vorhanden Update d5upd_03fa_003.exe vorhanden Update d5upd_03fa_004.exe vorhanden Update d5upd_03fa_005.exe vorhanden Update d5upd_03fa_002.exe Lade Update d5upd_03fa_003.exe	d5upd_03fa_00 543359	proces If the quality
Protokoll Prüft, ob Update lokal vorhanden ist Update vom LAN holen Update d5upd_03fa_002.exe vorhanden Update d5upd_03fa_003.exe vorhanden Update d5upd_03fa_005.exe vorhanden Update d5upd_03fa_005.exe vorhanden Update d5upd_03fa_002.exe		proces
Protokoll Prült, ob Update lokal vorhanden ist Update vom LAN holen Update d5upd_03fa_002.exe vorhanden Update d5upd_03fa_004.exe vorhanden Update d5upd_03fa_004.exe vorhanden Update d5upd_03fa_005.exe vorhanden Lade Update d5upd_03fa_003.exe Lade Update d5upd_03fa_004.exe		proces If the quality
Protokoll Prült, ob Update lokal vorhanden ist Update vom LAN holen Update d5upd_03fa_002.exe vorhanden Update d5upd_03fa_004.exe vorhanden Update d5upd_03fa_005.exe vorhanden Update d5upd_03fa_005.exe vorhanden Lade Update d5upd_03fa_003.exe Lade Update d5upd_03fa_004.exe Lade Update d5upd_03fa_004.exe Lade Update d5upd_03fa_005.exe		proces If the quality

This window appears if there is no update available, e.g. when Lindos is started for the first time.

This window appears during the copying process.

If the network connection is of good quality, the window will only appear briefly.

The user is then asked whether he wants to carry out the update(s):

DICSY 5					
There is an update ! Choose YES to start the update now, NO to start the update later or CANCEL to skip the update					
Ja	Nein	Abbrechen			

"Yes"	= Update is carried out immediately.
"No"	= Update is not carried out immediately. Each time a product group is changed
	during the same Lindos session, the update is offered again.
"Cancel"	= The update is no longer offered during the same Lindos session.
	It is not offered again until Lindos is started again.



DICSY 5 Update	You will see this window while an individual update is being installed. When the update has been completed,			
Update-Nr.: 8 Aktuelle Datei	the user must press "OK" to confirm.			
Update von C:\linde_mh\lindos_F\database\database2\VNW.bin				
Verarbeitete Dateien 117				
Gesamtfortschritt				
DeltaUpd 🛛 🔀 /				
Update erfolgreich beendet				
OK				

The user will be asked if he wants to install the update. If several updates have been found, he will be asked this question for each individual update. The updates are numbered serially. When an update has been installed, the term of Lindos is extended and the version status is increased.

9. Installation options

This version makes Lindos "updateable", i.e. program and data can be updated using individual EXE files without the requirement for a complete installation.

- This "updateability" leads to some changes in the various installation variants.
- Installing this version automatically deletes the previous Lindos installation.
- The update files are provided by Linde in various formats.
- The update files must not be carried out manually (by double-clicking) as Lindos processes them automatically.
- Linde is planning on providing the updates on a monthly basis.

Please read the Readme file for more information on configuring and installing the updates.

9.1 Server installation

In addition to the two established installation types

- CD operation of Lindos (update impossible!)
- Full installation (previously known as "Data optional"), there is now an innovative "Server installation" which replaces the network installation (without "Data optional").

lINDOS Installation	
	Select Components
	Choose which components to install by checking the boxes below.
	🔿 CD Version (no update possible)
	C Full installation
8.0	Server installation
	Notes available in net?
	Disk Space Required: 190578 k Disk Space Remaining: 5427368 k
	< <u>B</u> ack <u>N</u> ext > <u>C</u> ancel

For information on complete configuration, see the next page.

Linde



1) A server is installed using "setup.exe". This can be found on the Lindos CD1. This is a "flat" F-installation. Activation with LindeAC is not necessary. The important thing is that the installation is performend on a directory which future users will be able to access. A "client.exe" is generated in the "x:\Lindos_F\" directory during this procedure.

2) This CLient-Exe is used to install the various Client-PCs and 1 Admin-PC, and must be selected when the installation is being set up. The Admin-PC needs write permission on the Lindos-F server directory. Attention: admin and clients require activation with LindeAC.

3) If the Admin-PC receives an update (see "Update configuration" transparency) and carries it out, this updates the installation on the server. Attention: the update must be performed from no more than one Admin-PC.

4) The next time Lindos is started on the client PC following this update, the client Lindos also shows the new data.

9.2 Terminal server installation

This installation variant is essentially identical to client server installation. The terminal server is to be treated as a client PC (see Chapter 11.1). Activation is performed in the same way as in the past (cfg file is still required).



Alternatively, a terminal server can be operated as a full version - see Readme.